

SECTION I - PREPARATION INFORMATION

MSDS #: 13110 **PREPARED BY:** Compliance Department
DATE OF PREPARATION: 12/9/2011 BonaKemi USA, Inc.
LAST REVISION DATE: 12/9/2011 2550 S Parker Rd., Suite 600
EMERGENCY CONTACT: 24-Hour Emergency Telephone Number Aurora, Colorado 80014
International: 1-703-527-3887 (Chemtrec) (303) 371-1411

SECTION II - PRODUCT IDENTIFICATION

PRODUCT NAME: BONA DC POLISH™ LOW GLOSS
PRODUCT DESCRIPTION: WATERBORNE URETHANE BASED FLOOR POLISH

SECTION III - HAZARDOUS INGREDIENTS

INGREDIENT	CAS #	% WEIGHT	TWA	LD-50(oral-rat)	LC-50(hr, rat)
DIETHYLENE GLYCOL MONOETHYL ETHER	111-90-0	2.5-10%	N/E	5500 mg/kg	N/A

SECTION IV - PHYSICAL DATA

BOILING RANGE: >212F (100C) **EVAPORATION RATE:** Slower than n-Butyl Acetate
% VOLATILE - WT: 87 **DENSITY:** 8.39 LBS/GAL (1.01KG/L)
VAPOR DENSITY: Heavier than air **SOLUBILITY IN WATER:** Miscible
pH: 7.8
PRODUCT CHARACTERISTICS: White, water-thin liquid with slightly sweet odor

SECTION V - FIRE AND EXPLOSION HAZARD DATA

FLAMMABILITY CLASSIFICATION: Non-Flammable
FLASH POINT: None
% OF VOL. OF FLAMMABLE LIMITS (Upper): N/A **(Lower):** N/A
EXTINGUISHING MEDIA: Water Spray, Foam, Carbon Dioxide, Dry Chemical
UNUSUAL FIRE EXPLOSION HAZARDS: Closed containers may explode (due to the build-up of steam pressure) when exposed to extreme heat.
SPECIAL FIREFIGHTING PROCEDURES: Water may be used to cool closed containers to prevent pressure build-up.

SECTION X - MISCELLANEOUS

Do not transfer contents to bottles or other unlabeled containers. Do not store in high temperature (above 100F or 38C) environment. Keep from freezing.

*****KEEP OUT OF THE REACH OF CHILDREN*****

KEY CODE

N/A = Not Applicable

N/E = Not Established

ACGIH = American Conference of Governmental Industrial Hygienists

OEL= Occupational Exposure Limits

PEL = Permissible Exposure Limit

TWA=Time Waited Average

IARC = International Agency for Research on Cancer

NTP = National Toxicology Program

OSHA = Occupational Safety and Health Administration

The identities of ingredients are withheld as proprietary information. The information on this data sheet represents our best opinion as to the proper use and handling of this product under normal conditions, based upon information compiled from sources considered to be dependable. It is accurate and reliable to the best of our knowledge and belief, but is not guaranteed to be so. It is the user's responsibility to determine the suitability of this product for a specific purpose and to adopt such safety precautions as may be necessary. Any use of the product which is not in conformance with this data sheet or which involves using the product in combination with any other product or any other process is the responsibility of the user.

BEFORE USING ANY PRODUCT, READ THE LABEL.